

# Race Star Wheel Applications

These are recommended fitments for O.E. vehicles to the best of our knowledge and resources.

## CHEVROLET CAMARO/ PONTIAC FIREBIRD ALL YEARS

### 67-68 CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16

	oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
	14	14	6.00				0.00		3.50	3.50												
front	15		3.75	82, 92	-537240	-28.70			1.25	3.50	0.00			XX	XX					601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15		5.00	92	-550244	-15.80			2.38	3.62	0.12				XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	15		6.00	32	-560231	-8.13			3.12	3.88	0.38		XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15		7.00	32	-570238	-5.06			3.74	4.26	0.76		XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15		7.00	92	-570246	-12.70			3.50	4.50	1.00				XX						601-1414-20 (closed), 601-1424-20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15		8.00	32	-580245	0.00			4.44	4.56	1.06		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	15		8.00	92	-580247	-12.70			4.00	5.00	1.50				XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15		8.00	82, 92	-580248	0.00			4.50	4.50	1.00			XX	XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17		4.50	82, 92	-745242	-25.40			1.75	3.75	0.25			XX	XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17		4.50	95	-745242	-25.40			1.75	3.75	0.25					XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	17		6.00	32	-760235	0.00			3.44	3.56	0.06		XX								605-41414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	17		7.00	32	-770238	-5.10			3.74	4.26	0.76		XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	17		7.00	92	-770247	6.40			4.25	3.75	0.25				XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	17		7.00	95	-770247	6.40			4.25	3.75	0.25					XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
rear	17		8.00	32	-780245	0.00			4.44	4.56	1.06		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	17		8.00	92	-780248	0.00			4.50	4.50	1.00				XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18		5.00	92	-850245	-25.40			2.00	4.00	0.50				XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18		5.00	95	-850245	-25.40			2.00	4.00	0.50					XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18		7.00	32	-870240	0.00			3.94	4.06	0.56		XX								605-11414-10/20 (closed)	7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
rear	20		8.50	32	-085247	0.00			4.69	4.81	1.31		XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
notes	c/c																					

### 69 CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16

	oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
	14	14	6.00				0.00		3.50	3.50												
front	15		3.75	82, 92	-537240	-28.70			1.25	3.50	0.00			XX	XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	15		5.00	92	-550244	-15.80			2.38	3.62	0.12				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	15		6.00	32	-560231	0.00			3.44	3.56	0.06		XX								605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	15		7.00	32	-570238	-5.10			3.74	4.26	0.76		XX								605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15		7.00	92	-570246	-12.70			3.50	4.50	1.00				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15		8.00	32	-580245	0.00			4.44	4.56	1.06		XX								605-41414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	15		8.00	92	-580247	-12.70			4.00	5.00	1.50				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15		8.00	82, 92	-580248	0.00			4.50	4.50	1.00			XX	XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15		10.00	32	-510255	0.00			5.44	5.56	2.06		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	15		10.00	82, 92	-510250	0.00			5.50	5.50	2.00			XX	XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17		4.50	82, 92	-745242	-25.40			1.75	3.75	0.25			XX	XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17		4.50	95	-745242	-25.40			1.75	3.75	0.25					XX					602-2437-10/20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front	17		6.00	32	-760235	0.00			3.44	3.56	0.06		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	17		7.00	32	-770238	-5.10			3.74	4.26	0.76		XX								605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	17		7.00	92	-770247	6.40			4.25	3.75	0.25				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	17		7.00	95	-770247	6.40			4.25	3.75	0.25					XX					602-2437-10/20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
rear	17		8.00	32	-780245	0.00			4.44	4.56	1.06		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	17		8.00	92	-780248	0.00			4.50	4.50	1.00				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17		9.00	32	-780250	0.00			4.94	5.06	1.56		XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	17		9.50	92	-795249	0.00			5.19	5.31	1.81										601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18		5.00	92	-850245	-25.40			2.00	4.00	0.50				XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18		5.00	95	-850245	-25.40			2.00	4.00	0.50					XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18		7.00	32	-870240	0.00			3.94	4.06	0.56		XX								605-11414-10/20 (closed)	7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
rear	18		10.00	32	-810255	0.00			5.44	5.56	2.06		XX								605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	20		8.50	32	-085247	0.00			4.69	4.81	1.31		XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	20		10.00	32	-000255	0.00			5.44	5.56	2.06		XX								605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
notes	c/c																					

### 70-81 (2nd GEN) CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16

oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/oe	01	32	82	92	95	82/92	32	01/95		
oe fr	oe rr	15	7.00			0.00		4.00	4.00											
oe fr	oe rr	15	7.00			0.00		4.00	4.00											
front	front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	-0.50			XX	XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	15	5.00	92	-550244	-15.80		2.38	3.62	-0.38				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	15	6.00	32	-560231	-10.10		3.04	3.96	-0.04		XX				605-51414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	15	7.00	32	-570240	0.00		3.94	4.06			XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	15	7.00	92	-570246	-12.70		3.50	4.50	0.50				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	32	-580245	0.00		4.44	4.56	0.56		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.00				XX		601-1414-10/ 20 (closed), 601-1424-20 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	82, 92	-580248	0.00		4.50	4.50	0.50			XX	XX		601-1414-10 (closed), 601-1424-20 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	rear	15	10.00	32	-510255	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	15	10.00	82, 92	-510250	0.00		5.50	5.50	1.50				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	-0.25			XX	XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.25					XX	602-2437-10/ 20 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	front	17	7.00	32	-770240	0.00		3.94	4.06	0.06		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	17	7.00	92	-770247	6.40		4.25	3.75	-0.25				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	7.00	95	-770247	6.40		4.25	3.75	-0.25					XX	602-2437-10/ 20 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	front	17	8.00	32	-780245	0.00		4.44	4.56	0.56		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	17	8.00	92	-780248	0.00		4.50	4.50	0.50				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	rear	17	9.00	32	-790250	0.00		4.94	5.06	1.06		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	17	9.50	92	-795249	0.00		5.25	5.25	1.25				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	18	5.00	92	-850245	-25.40		2.00	4.00	0.00				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	18	5.00	95	-850245	-25.40		2.00	4.00	0.00					XX	602-2437-10/ 20 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	front	18	7.00	32	-870240	0.00		3.94	4.06	0.06		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/ rear	front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	0.06				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	0.06					XX	602-2437-10/ 20 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)	
rear	rear	18	10.00	32	-810250	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	20	6.00	92	-60246	-8.90		3.15	3.85	-0.15				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	20	8.50	32	-085248	0.00		4.69	4.81	0.81		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/ rear	front/ rear	20	9.00	92	090251	22.00		5.87	4.13	0.13				XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	rear	20	10.00	32	-000250	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
notes	c/c																			
<b>82-92 (3rd GEN) CAMARO/ FIREBIRD 5x4.75 70.3 0-15 12mm 26" OD tire</b>																				
oe fr	oe rr	16	8.00			15.00		5.09	3.91											
oe fr	oe rr	16	8.00			15.00		5.09	3.91											
front	front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	-0.40			XX	XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	15	5.00	92	-550244	-15.80		2.38	3.62	-0.29				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	15	6.00	32	-560231	-10.10		3.04	3.96	0.05		XX				605-51412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	15	7.00	32	-570240	0.00		3.94	4.06			XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	15	7.00	92	-570246	-12.70		3.50	4.50	0.59				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	32	-580245	0.00		4.44	4.56	0.65		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.09				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	15	8.00	82, 92	-580248	0.00		4.50	4.50	0.59			XX	XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	rear	15	10.00	32	-510255	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	15	10.00	82, 92	-510250	0.00		5.50	5.50	1.59				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	-0.16			XX	XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.16					XX	602-2439-10/ 20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	front	17	7.00	32	-770240	0.00		3.94	4.06	0.15		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	17	7.00	92	-770247	6.40		4.25	3.75	-0.16				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	17	7.00	95	-770247	6.40		4.25	3.75	-0.16					XX	602-2439-10/ 20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	front	17	8.00	32	-780245	0.00		4.44	4.56	0.65		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	17	8.00	92	-780248	0.00		4.50	4.50	0.59				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	rear	17	9.00	32	-790250	0.00		4.94	5.06	1.15		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	17	9.50	92	-795249	0.00		5.25	5.25	1.34				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	front	18	5.00	92	-850245	-25.40		2.00	4.00	0.09					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	front	18	5.00	95	-850245	-25.40		2.00	4.00	0.09					XX	602-2439-10/ 20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	front	18	7.00	32	-870240	0.00		3.94	4.06	0.15		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/ rear	front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	0.15				XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/ rear	front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	0.15					XX	602-2439-10/ 20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)	
rear	rear	18	10.00	32	-810250	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	front	20	8.50	32	-085248	0.00		4.69	4.81	0.90		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	rear	20	10.00	32	-000250	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
notes	c/c																			

93-02 (4th GEN) CAMARO/ FIREBIRD 5x4.75 70.3 35-45 12mm 26" OD tire																	
oe fr	17	8.00			35.00		5.88	3.12									
oe rr	17	11.00			45.00		7.77	4.23									
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	82/ 92	32	01/ 95
front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	0.38			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.50						601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	82, 92	-580250	19.00		5.25	3.75	-0.48			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	10.00	82, 92	-510254	44.00	***	7.23	3.77	-0.46			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	10.00	01, 95	-510254	44.00		7.23	3.77	-0.46	XX				XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	0.63			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.63					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	92	-745245	-12.00		2.28	3.22	0.10				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	01, 95	-745245	-12.00		2.28	3.22	0.10	XX				XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	6.00	32	-760235	5.00		3.63	3.37	0.24		XX				605-51412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	7.00	32	-770242	10.18		4.34	3.66	0.54		XX				605-51412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	7.00	92	-770247	6.40		4.25	3.75	0.63				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	7.00	95	-770247	6.40		4.25	3.75	0.63					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	7.00	92	-770249	22.00		4.87	3.13	0.01				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	7.00	95	-770249	22.00		4.87	3.13	0.01					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	8.00	92	-780250	25.40		5.50	3.50	0.38				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	9.50	92	-795253	41.00		6.86	3.64	0.51								
rear	17	9.50	92	-795252-32	20.00	32.00	6.51	3.99	-0.24				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	10.50	92	-705253-44	32.00	44.00	7.48	4.02	-0.21				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	10.50	95	-705253	32.00		7.01	4.49	0.26					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01	-710254	38.00		7.50	4.50	0.28	XX					602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	01	-850245	-25.40		2.00	4.00	0.88	XX							
front	18	5.00	92	-850246	-6.00		2.76	3.24	0.11				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	95	-850246	-6.00		2.76	3.24	0.11					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front	18	7.00	32	-870240	0.00		3.94	4.06	-0.17						605-11412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x .75 long SHANK, 70.3hr)
front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	-0.17					XX	601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	-0.17					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18	8.50	92	-885251	36.00		6.17	3.33	0.21				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.00	32	-810262	17.78		6.14	4.86	0.63		XX				605-51412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.50	92	-805253-44	32.00	44.00	7.48	4.02	-0.21				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.50	95	-805252	32.00		7.01	4.49	0.26					XX	602-2439-10/ 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
front/ rear	20	8.50	32	-085252	10.16		5.09	4.41	0.18					XX	605-41412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x .75 long SHANK, 70.3hr)
rear	20	10.00	32	010261	17.78		6.14	4.86	0.63		XX				605-51412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.38 long SHANK, 70.3hr)
notes	c/c																
2010-15 (5th GEN) Camaro LT/SS 5x120 66.9id 35-45os 14mmx1.5																	
LS/LT Front = 12.64", Rear = 12.4", SS Front rotor = 14", Rear rotor = 14.4"																	
oe fr	20	8.00			15.00		5.09	3.91									
oe rr	20	9.00			35.00		6.38	3.62									
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	82/ 92	32	01/ 95
front	17	4.50	92	-745242	-25.40		1.75	3.75	-0.16				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.16					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	01	-745245	-12.70		2.25	3.25	-0.37	XX					602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	7.00	92	-770247	6.40		4.25	3.75	-0.16				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	7.00	95	-770247	6.40		4.25	3.75	-0.16					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	9.50	92	-795252	19.00		6.00	4.50	0.88				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	92	-705253	32.00		7.01	4.49	0.87				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	95	-705253	32.00		7.01	4.49	0.87					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01	-710254	38.00		7.50	4.50	0.88	XX					602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.09				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	18	5.00	01, 95	-850245	-25.40		2.00	4.00	0.09	XX				XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	0.15				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	0.15					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
rear	18	10.50	92	-805253	32.00		7.01	4.49	0.87				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	18	10.50	95	-805253	32.00		7.01	4.49	0.87					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
front	20	6.00	92	060246	-8.90		3.15	3.85	-0.06				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)		14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/ rear	20	10.00	95	-010252	22.00		6.37	4.63	0.72					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
rear	20	11.00	95	-011254	41.00		7.61	4.39	0.76					XX	602-2428-10/20 (closed)		14mm lug kit, (95 series) (ACORN LUG NUT)
notes	c/c																

2014-15 (5th GEN) Camaro Z28 5x120 66.9id 35-45os 14mmx1.5																				
Front rotor = 15.5", Rear rotor = 15.3"																				
oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	82/92	32	01/95		
oe fr	19	11.00				11.00		6.43	5.57											
oe rr	19	11.50				32.25		7.52	4.98											
front	20	6.00	92	060246	-8.90			3.15	3.85	-1.72				XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	20	10.00	95	-010252	22.00			6.37	4.63	-0.93									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	20	11.00	95	-011254	41.00			7.61	4.39	-0.59									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
notes	c/c																			
2012-15 (5th GEN) Camaro ZL1 5x120 66.9id 35-45os 14mmx1.5																				
Front rotor = 14.6", Rear rotor = 14.4"																				
oe fr	20	10.00				23.00		6.41	4.59											
oe rr	20	11.00				43.00		7.69	4.31											
front	17	9.5	92	-795252	19			6.00	4.50	-0.09										
rear	17	9.50	92	-795252	19.00			6.00	4.50	0.19										
rear	17	10.50	92	-705253	32.00			7.01	4.49	0.18				XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	95	-705253	32.00			7.01	4.49	0.18									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01	-710254	38.00			7.50	4.50	0.20									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	92	-850245	-25.40			2.00	4.00	-0.59									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	18	5.00	01, 95	-850245	-25.40			2.00	4.00	-0.59				XX					602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	92	-885250	17.50			5.44	4.06	-0.53									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	18	8.50	95	-885250	17.50			5.44	4.06	-0.25									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	18	10.50	92	-805253	32.00			7.01	4.49	0.18				XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	18	10.50	95	-805253	32.00			7.01	4.49	0.18									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	20	6.00	92	060246	-8.90			3.15	3.85	-0.74									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	20	10.00	95	-010252	22.00			6.37	4.63	0.04									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	20	11.00	95	-011254	41.00			7.61	4.39	0.08									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
notes	c/c																			
2016-19 (6th GEN) Camaro LT/SS 5x120 66.9id 35-45os 14mmx1.5																				
Front rotor = 13.6", Rear rotor = 13.3"																				
oe fr	20	8.50				25.00		5.73	3.77											
oe rr	20	9.50				39.00		6.79	3.71											
front	17	4.50	92	-745242	-25.40			1.75	3.75	-0.02									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	4.50	95	-745242	-25.40			1.75	3.75	-0.02									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	01	-745245	-12.70			2.25	3.25	-0.46				XX					602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	7.00	92	-770247	6.40			4.25	3.75	-0.02									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	7.00	95	-770247	6.40			4.25	3.75	-0.02									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	17	9.50	92	-795252	19.00			6.00	4.50	0.79									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	92	-705253	32.00			7.01	4.49	0.78				XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	95	-705253	32.00			7.01	4.49	0.78									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01	-710254	38.00			7.50	4.50	0.79									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	92	-850245	-25.40			2.00	4.00	0.23									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	18	5.00	01, 95	-850245	-25.40			2.00	4.00	0.23				XX					602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	92	-885250	17.50			5.44	4.06	0.30									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	18	8.50	95	-885250	17.50			5.44	4.06	0.35									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	18	10.50	92	-805253	32.00			7.01	4.49	0.78				XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	18	10.50	95	-805253	32.00			7.01	4.49	0.78									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	20	6.00	92	060246	-8.90			3.15	3.85	0.08									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	20	10.00	95	-010252	22.00			6.37	4.63	0.87									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	20	11.00	95	-011254	41.00			7.61	4.39	0.67									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
notes	c/c																			
2016-19 (6th GEN) Camaro SS 1LE 5x120 66.9id 25-39os 14mmx1.5																				
Front rotor = 14.6", Rear rotor = 14.4"																				
oe fr	20	8.50				25.00		5.73	3.77											
oe rr	20	9.50				39.00		6.79	3.71											
rear	17	9.50	92	-795252	19.00			6.00	4.50	0.79									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	92	-705253	32.00			7.01	4.49	0.78									601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	95	-705253	32.00			7.01	4.49	0.78									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)

